



Commission of Architectural Review SUBMISSION APPLICATION

City of Richmond, Room 510 – City Hall
900 East Broad Street, Richmond, Virginia 23219
PHONE (804) 646-6335 FAX (804) 646-5789

12 COPIES OF SUPPORTING DOCUMENTATION ARE REQUIRED FOR PROCESSING YOUR SUBMISSION

LOCATION OF WORK: 604 N 22nd Street DATE: 5/25/16

OWNER'S NAME: Kimberley A Bobo TEL NO.: 773-391-8844

AND ADDRESS: 604 N 22nd Street EMAIL: KimABobo@comcast.net

CITY, STATE AND ZIPCODE: Richmond, VA 23223

ARCHITECT/CONTRACTOR'S NAME: Architectural Windows of VA TEL. NO.: 804-358-1116

AND ADDRESS: PO Box 6851 EMAIL: gthomas@archwind.com

CITY, STATE AND ZIPCODE: Richmond, VA 23230-0851

Would you like to receive your staff report via email? Yes No

REQUEST FOR CONCEPTUAL REVIEW

I hereby request Conceptual Review under the provisions of Chapter 114, Article IX, Division 4, Section 114-930.6(d) of the Richmond City Code for the proposal outlined below in accordance with materials accompanying this application. I understand that conceptual review is advisory only.

APPLICATION FOR CERTIFICATE OF APPROPRIATENESS


I hereby make application for the issuance of a certificate under the provisions of Chapter 114, Article IX, Division 4 (Old and Historic Districts) of the Richmond City Code for the proposal outlined below in accordance with plans and specifications accompanying this application.

DETAILED DESCRIPTION OF PROPOSED WORK (Required):

STATE HOW THE DESIGN REVIEW GUIDELINES INFORM THE DESIGN OF THE WORK

PROPOSED. (Include additional sheets of description if necessary, and 12 copies of artwork helpful in describing the project. The 12 copies are not required if the project is being reviewed for an administrative approval. See instruction sheet for requirements.)

I bought my house in February, 2016. The five front windows are all screwed shut because they don't fit right and probably the weights don't work and who knows what else. The windows are very poor quality and will never be good on insulation. They are not original windows because the house is from 1848. I have no idea when the windows were put in. I am proposing to replace them with high quality Marvin wood windows that will look exactly like the existing window from the outside. Attached is the description of the windows I propose to have installed.

Signature of Owner or Authorized Agent: **X** 

Name of Owner or Authorized Agent (please print legibly): Kimberley A. Bobo

(Space below for staff use only)

RECEIVED 3:29
Received by Commission Secretary _____ APPLICATION NO. _____
DATE MAY 25 2016 SCHEDULED FOR _____

Note: CAR reviews all applications on a case-by-case basis.

550916A BOBO RESIDENCE

Quote #: YXN44A5

A Proposal for Window and Door Products prepared for:

Job Site:
23225

Shipping Address:
ARCHITECTURAL WINDOWS OF VA
2239 TOMLYNN ST
RICHMOND, VA 23230-3334

Featuring products from:



**ARCHITECTURAL
WINDOWS OF VA**
WINDOWS • DOORS • TRIM • MILLWORK
PHONE: 804-358-1116 FAX: 804-358-0824

JASON WATTS
ARCHITECTURAL WINDOWS OF VA
PO BOX 6851
RICHMOND, VA 23230-0851
Phone: (804) 358-1116

Email: jwatts3@aol.com

This report was generated on 5/9/2016 9:15:36 AM using the Marvin Order Management System, version 0002.08.01 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.


Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 5		TOTAL UNIT QTY: 18		EXT NET PRICE: USD 6,375.27		
LINE	MARK UNIT	BRAND	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	DOWNSTAIRS	Marvin	Clad Ultimate Insert Double Hung IO 34 7/8" X 62 1/2" Entered as Inside Opening 885.82 mm. X 1587.5 mm.	1,073.83	2	2,147.66
2	UPSTAIRS BATH	Marvin	Clad Ultimate Insert Double Hung IO 34 3/4" X 54 1/4" Entered as Inside Opening 34 3/4" X 54 1/4"	1,009.59	1	1,009.59
3	BED ROOM	Marvin	Clad Ultimate Insert Double Hung IO 34 7/8" X 54 1/4" Entered as Inside Opening 34 7/8" X 54 1/4"	1,009.59	2	2,019.18
4	FRAME EXPANDERS	Marvin	Parts: 18578599 A1012 3/4" FRAME EXPANDER-150" - STONE WHITE	9.23	8	73.84
5	LABOR / INSTALLATION	Non-Marvin	Labor LABOR AND MATERIAL TO REMOVE OLD WINDOWS AND INSTALL NEW INSERT WINDOWS.	225.00	5	1,125.00

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: DOWNSTAIRS	Net Price:		1,073.83
Qty: 2		Ext. Net Price:	USD	2,147.66



As Viewed From The Exterior


Entered As: IO
 FS 34 1/2" X 62 1/4"
 IO 34 7/8" X 62 1/2"
Egress Information
 Width: 31 1/4" Height: 25 11/16"
 Net Clear Opening: 5.57 SqFt
Performance Information
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.27
 Visible Light Transmittance: 0.46
 Condensation Resistance: 56
 CPD Number: MAR-N-73-01433-00001
 ENERGY STAR: NC
Performance Grade
 Licensee #751
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG30 1143X1981 mm (45X77.37 in)
 LC-PG30 DP +30/-30
 FL10060

Stone White Clad Exterior
 Painted Interior Finish - White - Pine Interior 85.41
 Clad Ultimate Insert Double Hung 689.85
 Inside Opening 34 7/8" X 62 1/2"
 0 Degree Frame Bevel
 Top Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior
 IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 5/8" SDL - With Spacer Bar - Stainless 143.81
 Rectangular - Special Cut 3W2H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
 Bottom Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior
 IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 5/8" SDL - With Spacer Bar - Stainless 143.81
 Rectangular - Special Cut 3W2H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
 White Sash Lock
 White Jamb Hardware 10.95
 Aluminum Screen
 Charcoal Fiberglass Mesh
 Stone White Surround
 3 1/4" Jamb

Line #2	Mark Unit: UPSTAIRS BATH	Net Price:		1,009.59
Qty: 1		Ext. Net Price:	USD	1,009.59



Stone White Clad Exterior
 Painted Interior Finish - White - Pine Interior 85.41
 Clad Ultimate Insert Double Hung 637.29
 Inside Opening 34 3/4" X 54 1/4"
 0 Degree Frame Bevel
 Top Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior
 IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 5/8" SDL - With Spacer Bar - Stainless 137.97
 Rectangular - Special Cut 3W2H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
 Bottom Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior




As Viewed From The Exterior

Entered As: IO
 FS 34 3/8" X 54"
 IO 34 3/4" X 54 1/4"
Egress Information
 Width: 31 1/8" Height: 21 9/16"
 Net Clear Opening: 4.66 SqFt
Performance Information
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.27
 Visible Light Transmittance: 0.46
 Condensation Resistance: 56
 CPD Number: MAR-N-73-01433-00001
 ENERGY STAR: NC
Performance Grade
 Licensee #751
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG30 1143X1981 mm (45X77.37 in)
 LC-PG30 DP +30/-30
 FL10060

IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 5/8" SDL - With Spacer Bar - Stainless 137.97
 Rectangular - Special Cut 3W2H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
 White Sash Lock
 White Jamb Hardware 10.95
 Aluminum Screen
 Charcoal Fiberglass Mesh
 Stone White Surround
 3 1/4" Jamb

Line #3	Mark Unit: BED ROOM	Net Price:	USD	1,009.59
Qty: 2		Ext. Net Price:	USD	2,019.18



As Viewed From The Exterior

Entered As: IO
 FS 34 1/2" X 54"
 IO 34 7/8" X 54 1/4"
Egress Information
 Width: 31 1/4" Height: 21 9/16"
 Net Clear Opening: 4.68 SqFt
Performance Information
 U-Factor: 0.3
 Solar Heat Gain Coefficient: 0.27
 Visible Light Transmittance: 0.46

Stone White Clad Exterior
 Painted Interior Finish - White - Pine Interior 85.41
 Clad Ultimate Insert Double Hung 637.29
 Inside Opening 34 7/8" X 54 1/4"
 0 Degree Frame Bevel
Top Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior
 IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 5/8" SDL - With Spacer Bar - Stainless 137.97
 Rectangular - Special Cut 3W2H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
Bottom Sash
 Stone White Clad Sash Exterior
 Painted Interior Finish - White - Pine Sash Interior
 IG
 Low E2 w/Argon
 Stainless Perimeter and Spacer Bar
 5/8" SDL - With Spacer Bar - Stainless 137.97
 Rectangular - Special Cut 3W2H
 Stone White Clad Ext - Painted Interior Finish - White Pine Int
 Ovolo Interior Glazing Profile
 White Sash Lock
 White Jamb Hardware 10.95
 Aluminum Screen
 Charcoal Fiberglass Mesh
 Stone White Surround
 3 1/4" Jamb

Condensation Resistance: 56
 CPD Number: MAR-N-73-01433-00001
 ENERGY STAR: NC
Performance Grade
 Licensee #751
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG30 1143X1981 mm (45X77.37 in)
 LC-PG30 DP +30/-30
 FL10060

Line #4	Mark Unit: FRAME EXPANDERS	Net Price:		9.23
Qty: 8		Ext. Net Price:	USD	73.84

No Image Available **Marvin Parts** 73.84
 18578599 A1012 3/4" FRAME EXPANDER-150" - STONE WHITE

Line #5	Mark Unit: LABOR / INSTALLATION	Net Price:		225.00
Qty: 5		Ext. Net Price:	USD	1,125.00

Labor LABOR AND MATERIAL TO REMOVE OLD WINDOWS AND INSTALL NEW INSERT WINDOWS. 225.00

Project Subtotal Net Price: USD 5,250.27
 Non-Taxable Labor: USD 1,125.00
 5.300% Sales Tax: USD 278.26
 Project Total Net Price: USD 6,653.53

Product and Performance Information

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org/WindowRatings.

NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.

Review the map below to determine if your units meet ENERGY STAR for your location.

