



Commission of Architectural Review SUBMISSION APPLICATION

City of Richmond, Room 510 – City Hall
900 East Broad Street, Richmond, Virginia 23219
PHONE: (804) 646-6335 FAX: (804) 646-5789

12 COPIES OF SUPPORTING DOCUMENTATION ARE REQUIRED FOR PROCESSING YOUR SUBMISSION

LOCATION OF WORK: 508 N. 26TH ST 23223 DATE: OCT 2, 2015

OWNER'S NAME: ARTHUR GARDNER TEL NO.: 804-625-1718

AND ADDRESS: P.O. BOX 25073 EMAIL: ROCKGAR50@GMAIL.COM

CITY, STATE AND ZIP CODE: RICHMOND, VA 23260

ARCHITECT/CONTRACTOR'S NAME: _____ TEL. NO.: _____

AND ADDRESS: _____ EMAIL: _____

CITY, STATE AND ZIP CODE: _____

Would you like to receive your staff report via email? Yes No

REQUEST FOR CONCEPTUAL REVIEW

I hereby request Conceptual Review under the provisions of Chapter 114, Article IX, Division 4, Section 114-930.6(d) of the Richmond City Code for the proposal outlined below in accordance with materials accompanying this application. I understand that conceptual review is advisory only.

APPLICATION FOR CERTIFICATE OF APPROPRIATENESS

I hereby make application for the issuance of a certificate under the provisions of Chapter 114, Article IX, Division 4 (Old and Historic Districts) of the Richmond City Code for the proposal outlined below in accordance with plans and specifications accompanying this application.

DETAILED DESCRIPTION OF PROPOSED WORK (Required):

STATE HOW THE DESIGN REVIEW GUIDELINES INFORM THE DESIGN OF THE WORK

PROPOSED. (Include additional sheets of description if necessary, and 12 copies of artwork helpful in describing the project. The 12 copies are not required if the project is being reviewed for an administrative approval. See instruction sheet for requirements.)

Signature of Owner or Authorized Agent: x Arthur Gardner

Name of Owner or Authorized Agent (please print legibly): ARTHUR GARDNER

(Space below for staff use only)

RECEIVED
Received by Commission Secretary _____
DATE OCT 02 2015 1:21 pm APPLICATION NO. _____
SCHEDULED FOR _____

Note: CAR reviews all applications on a case-by-case basis.

City Of Richmond
Planning & Preservation Division
900 E. Broad Street Room 510
Richmond, VA. 23219

October 2, 2015

P.O. Box 25073
Richmond, VA. 23260

Dear Mr. James Hill:

The proposed repairs to the triangular opening at attic level in the front of 508 N. 26th Street are as follows:

Add three support 2 x 4's to the triangular opening at the top of the wall.
Secure 3/4" smooth plywood (cut to shape) to the triangular opening.
Seal to make water tight with silicone caulking. Prime and paint plywood to color match surrounding wall.
Replace/repair (point up) bricks below the triangular opening as needed.
Reattach the previously removed triangular (Galvanized) architectural design to the new plywood.

*** See attached drawing.

Thank you for your consideration. The property is listed below.

E000-0383/008 508 N. 26th St.

Sincerely;


Arthur Gardner

ARTHUR GARDNER

508 N, 26TH ST.

* REPAIR TO TRIANGULAR AREA WITHIN 2"x6" OPENING



