# COVID-19 update

#### January 10th, 2022

RICHMOND CITY HEALTH DISTRICT



## Cases and hospitalizations continue to rise...


**RICHMOND CITY** 

HEALTH DISTRIC

HENRICO COUNTY

HEALTH DISTRICT


Cases by Date of Event - Richmond City & Henrico County



## Cases and hospitalizations continue to rise...







#### **RICHMOND CITY** HEALTH DISTRICT

### Local COVID-19 testing events

Day of the week	Date	Time	Appointment?	Location	#	Result Time
Sunday	1/9	9a-6p	Yes	Richmond Raceway	650	48-72 hours
Monday	1/10	1-4p	Yes	Deep Run Rec Center (Drive Thru)	200	48-72 hours
		9a-6p	Yes	Richmond Raceway	600	48-72 hours
Tuesday	1/11	9a-6p	Yes	Richmond Raceway	600	48-72 hours
Wednesday	1/12	9a-1p	No	Eastern Henrico Rec (Walk Up)	300	48 hours
wednesday		9a-6p	Yes	Richmond Raceway	500	48-72 hours
Thursday	1/13	2-6p	No	Southside Plaza (Walk Up)	300	48 hours
		9a-6p	Yes	Richmond Raceway	500	48-72 hours
Friday	1/14	3-6pm	Yes	Southwood (Walk Up)	200	48-72 hours

## Virtually or in-person?

#### Consider:

- Ability to maintain distance, individuals' vaccination statuses, how to handle multiple Council members in isolation or quarantine, and how the public can be involved while isolating or quarantining.
- Local COVID-19 transmission levels:
  - 7-day PCR positivity rate in Richmond: 33.5%
  - 7-day case rate: 1,391.71 per 100,000 (CDC defines transmission status as High at a case rate of over 100)

## Virtually or in-person?

#### We recommend:

- Vaccination status reporting. Anyone attending in -person be up-to-date with their COVID-19 vaccinations
- Mask wearing during the entirety of the meeting, even while speaking
- Distancing individuals at least six feet apart —both members and the public
- Assuring that the meeting space's HVAC is in good working order; avoid meeting in smaller and less -ventilated spaces.
- Screening. No one should participate in -person if they have symptoms of COVID-19, or, per CDC guidance, should be isolating or quarantining
- Given current test scarcity, it is likely not be feasible to encourage testing before attending public events, but this could be considered once at -home tests becomes more available