

photocopied signatures will not be accepted.

Application for SPECIAL USE PERMIT

Department of Planning and Development Review Land Use Administration Division 900 E. Broad Street, Room 511 Richmond, Virginia 23219 (804) 646-6304

http://www.richmondgov.com/

Application is hereby submitted for: (check one	e)	
special use permit, new		
special use permit, plan amendment		
☐ special use permit, text only amendment		
Draiget Name / continu		
Project Name/Location		D 1
Property Address: 1700 W Cary Street Tax Map #: W0000728023 Fee: \$1,800		Date <u>:</u>
Total area of affected site in acres: 0.148		
Total area of affected site in acres.		
(See page 6 for fee schedule, please make check payable t	o the "City of Richmond"))
Zoning		
Current Zoning: R-7 Residential	-	
Existing Use: Vacant	-	
Proposed Use		
(Please include a detailed description of the proposed use Construct a new multifamily dwelling configured as three (3) attact	in the required applicant's repo	rt) nilv dwellings
Existing Use: Vacant	installed the (1) detaction the fall	my dwonings
Is this property subject to any previous land use	e cases?	
Yes No		
If Yes , please list the Ordinance N	Number:	
Applicant/Contact Person: Will Gillette / Mark Baker		
Company: Baker Development Resources		
Mailing Address: 530 E Main Street, Suite 730		
City: Richmond	State: VA	Zip Code: <u>23219</u>
Telephone:(804) 874-6275	Fax: _()
Email: markbaker@bakerdevelopmentresources.com		
Dronarty Owner TELEIAN PROTUCES I. C.		
Property Owner: TELFIAN BROTHERS LLC		
If Business Entity, name and title of authorized s	signee:	
(The person or persons executing or attesting the execution	of this Application on bohalf o	of the Company cortifies that he or
she has or have been duly authorized and empowered to so	execute or attest.)	or the Company Certifies that he or
Mailing Address: 1621 W Cary Street		
City: Richmond	State: VA	Zip Code: 23220
Telephone: ()	Fax: _()
Email:		
Property Owner Signature:		
Topolity officer organization		
The names, addresses, telephone numbers and signatures o	fall owners of the proporty are	required. Please attach additional
sheets as needed. If a legal representative signs for a prope	erty owner please attach an ove	cuted power of attorney. Enved on

NOTE: Please attach the required plans, checklist, and a check for the application fee (see Filing Procedures for special use permits)

APPLICANT'S REPORT

July 11th, 2022

Revised: February 2, 2023

Special Use Permit Request 1700 W Cary Street, Richmond, Virginia Map Reference Number: W000-0728/023

Submitted to: City of Richmond

Department of Planning and Development Review

Land Use Administration 900 East Broad Street, Suite 511 Richmond, Virginia 23219

Submitted by: Baker Development Resources

530 East Main Street, Suite 730 Richmond, Virginia 23219

Introduction

The property owner is requesting a special use permit (the "SUP") for 1700 West Cary Street (the "Property"). The SUP would authorize the division of the Property and the construction of three (3), two-family attached dwellings, and one (1) two-family detached dwelling on the Property. While the two-family use is permitted by the underlying R-7 Single- and Two-Family Urban Residential zoning district under certain conditions, some of the applicable feature requirements are not met and therefore a SUP is required.

Existing Conditions

SITE DESCRIPTION AND EXISTING LAND USE

The Property is located at the northwest corner of W Cary and S Vine Streets and is referenced by the City Assessor as tax parcel W000-0728/023. The Property consists of an unimproved lot that is roughly 77' wide by 83' in depth and contains approximately 6,432 square feet of lot area. The Property is relatively flat and is afforded access via its frontage along W Cary and S Vine Streets. There is no public alley access.



The properties in immediate vicinity are developed with a range of uses, including multi-family dwellings, mixed-use buildings, and single- and two-family dwellings. To the west, along the northern line of West Cary Street are condominiums and a mixed-use development. To the east and to the west along the southern line of W Cary Street lie primarily single-family dwellings. Residential dwellings are generally attached, though detached dwellings can be found nearby.

EXISTING ZONING

The Property is zoned R-7 Single- and Two-Family Urban Residential, which permits the two-family attached and detached uses contingent on certain feature requirements. The properties to the north, east, and south are also zoned R-7. Properties immediately to the west, on the northern line of W Cary Street, are zoned R-63 Multifamily Urban Residential District. Further to the east, at Lombardy Street, and to the west, at S Granby Street, lie properties located within the UB-PO3 Main Street/Uptown Parking Overlay District.

MASTER PLAN DESIGNATION

The Richmond 300 Master Plan (the "Master Plan") designates the Property as "Community Mixed-Use". This future land use category is described as "medium-density, walkable commercial and residential uses that provide neighborhood services to nearby residential communities..." and recommends multifamily dwellings as a primary use and two-family dwellings as a secondary use which can "complement existing context" while "prioritizing pedestrian, bike and transit access."

In addition to the Property-specific guidance offered by the Vision and Core Concepts chapter, there are a number of other goals elsewhere within the Master Plan that support this request:

- Page 109 (Equitable Transportation Chapter), Objective 6.1 to "Increase the number of residents and jobs at Nodes and along enhanced transit corridors in a land development pattern that prioritizes multi-modal transportation options."
 - o b. Develop housing at all income levels in and near Nodes and along major corridors (see strategies Goal 14).
- Page 136 (Diverse Economy Chapter), Objective 11.1 to "Increase the areas of appropriately zoned land near various transportation modes and housing to retain, create, and attract employers."
 - o d. Encourage the development of a variety of quality housing types to house employees across the economic spectrum (see Goal 14).
- Page 150 (Inclusive Housing Chapter), Objective 14.1 to "Increase city-wide awareness of the importance of integrating housing at all income levels into every residential neighborhood so every household has housing choice throughout the city."
- Page 152 (Inclusive Housing Chapter) (see map on p. 153), Objective 14.4 to "Increase the number of mixed-income communities along enhanced transit corridors."
- Page 152 (Inclusive Housing Chapter) (see map on p. 153), Objective 14.5 to "Encourage
 more housing types throughout the city and greater density along enhanced transit
 corridors and at Nodes (shown in Figure 38 [p.153]) by amending the Zoning
 Ordinance. "
 - o e) Allow the development of middle housing (2- to 4- unit buildings) by-right within 1/2 mile of high-frequency transit stops.
- Page 155 (Inclusive Housing Chapter), Objective 14.8 to "Develop inclusionary and equitable housing options for our gentrifying neighborhoods to prevent involuntary displacement."

- Page 159 (Thriving Environment Chapter) Objective 15.1 to "Reduce air pollution related to transportation."
 - a. Increase the number of Richmonders living in a development pattern that encourages density and reduces dependency on single-occupancy vehicles (see Goal 1, Goal 8, Goal 14).
- Page 86 (High-Quality Places Chapter), Objective 1.4, to "maintain and improve primarily residential areas by increasing their linkages to...corridors...and maintaining high-quality design standards"
- Page 100 (High Quality Places Chapter), Objective 4.1, to "create and preserve high-quality, distinctive, and well-designed neighborhoods and nodes throughout the City," as the request introduces thoughtfully designed new construction in a manner not otherwise assured by-right.

Proposal

PROJECT SUMMARY

The proposed development includes the construction of four two-family dwellings configured as three two-family attached dwellings fronting onto W Cary Street and one two-family detached dwelling fronting onto S Vine Street on the currently vacant Property.

PURPOSE OF REQUEST

The Property is roughly 77.5 feet wide, 83 feet deep, and contains approximately 6,432 square feet of lot area making it large for the vicinity. The owner would now like to divide the parcel into four separate lots and construct three attached two-family dwellings fronting onto W Cary Street and one two-family detached dwelling fronting onto S Vine Street. While the two-family attached use is noted as a principal use and is present in the vicinity, R-7 district regulations require that two-family attached dwellings exist prior to the effective date of the ordinance. Furthermore, while the R-7 district permits the two-family detached dwelling use, in order to better replicate the prevailing lot pattern, certain feature requirements such as lot area, lot width, and front yard setback would not be met. Finally, in order to provide more housing units, and based off the recommendations of the Richmond 300 Master Plan for properties located within the Community Mixed-Use land use designation and along major transit routes, on-site parking is not provided. Therefore, a SUP is required in order to permit the proposed development.

In exchange for the SUP, the intent of this request is to ensure a high-quality, market rate infill development. The overall project would be appropriately dense and efficient. At the same time, it would remain respectful to the historic lot pattern in the vicinity thereby remaining consistent with the predominant character of the area. Finally, the quality assurances conditioned through the SUP would guarantee a higher quality development than might otherwise be developed by right.

PROJECT DETAILS

The proposed buildings are urban row homes in configuration and are intended to be consistent with other residential buildings in the vicinity. The buildings would be three stories in height and configured as three two-family attached dwellings fronting W Cary Street and the two-family detached dwelling fronting S Vine Street. The buildings would be clad with brick on all sides in order to ensure quality and durability. The dwellings would have front entry for each pair of units,

configured as flats, through offset side-by-side double front doors as is the case with other two-family dwellings in the vicinity.

Each dwelling unit would include between approximately 1,400 and 1,700 square feet of floor area with three bedrooms and two- and one-half bathrooms. The dwelling unit layouts are modern with open living areas and large functional kitchens. Bedrooms are decidedly large, and each unit would include a stacked washer and dryer and a master bedroom complete with en suite master bath. Full width covered front porches and a rear patio are proposed for the use of the future residents.

Findings of Fact

The following are factors indicated in Section 17.11 of the Charter and Section 114-1050.1 of the Zoning Ordinance relative to the approval of special use permits by City Council. The proposed special use permit will not:

• Be detrimental to the safety, health, morals and general welfare of the community involved.

The proposed special use permit for high-quality infill construction will not impact the safety, health, morals and general welfare of the nearby neighborhoods.

• Tend to create congestion in streets, roads, alleys and other public ways and places in the area involved.

The proposed special use permit will not result in significant traffic impacts to nearby residential neighborhoods. The negligible traffic generation of the dwelling units will create no congestion on streets, roads, alleys or any other public right of way.

• Create hazards from fire, panic or other dangers.

The property will be developed in a manner consistent with the requirements of the building code and in accordance with the requirements of Fire and Emergency Services. The City's codes applicable to this development are designed to eliminate such hazards.

• Tend to overcrowding of land and cause an undue concentration of population.

The proposed special use permit will not tend to over crowd the land or create an undue concentration of population.

 Adversely affect or interfere with public or private schools, parks, playgrounds, water supplies, sewage disposal, transportation or other public requirements, conveniences and improvements.

The special use permit would not adversely affect the above referenced City services. To the contrary, the proposal would provide positive fiscal (tax) benefits that would enhance the City's ability to provide these services to the proposed development.

• Interfere with adequate light and air.


The light and air available to the subject and adjacent properties will not be affected. The proposed buildings are of compatible massing those the existing in the vicinity. As a result, this request will not interfere with the provision of adequate light and air to the adjacent buildings.

Summary


In summary we are enthusiastically seeking approval for the construction of the proposed two-family dwelling units. The buildings have been thoughtfully designed in order to provide appropriate, high-quality, market-rate infill development. The request offers compatibility with the City's Master Plan in terms of use. The request would contribute to the ongoing revitalization of the neighborhood, upgrading the Property while maintaining a desirable variation in housing style and density in the vicinity and providing for continued economic diversity in housing options within the neighborhood.

The proposed development would respectfully help restore an appropriate urban fabric in a block face in which several lots are vacant or underutilized. It would help encourage a pedestrian friendly traditional streetscape in the block and contribute to the vibrancy of the block though the addition street life in the form of a street-oriented full width front porch. Finally, the quality assurances conditioned through the SUP would guarantee a higher quality development than might otherwise be developed by right.

12° PUBLIC ALLEY



PLOT PLAN SHOWING PROPOSED DIVISION OF LOTS AT THE INTERSECTION OF W. CARY STREET & S. VINE STREET IN THE CITY OF RICHMOND, VIRGINIA.



McKNIGHT 201 TWIN RIDGE LANE & ASSOCIATES, P.C. LAND SURVEYORS **PLANNERS**

SCALE: 1" = 20°

国

国

K

Ø

50' +/- PUBLIC R/W

RICHMOND, VIRGINIA 23235 TELEPHONE (804) 320-2646

JOB NUMBER: 920116005UP

GENERAL NOTES AND DESIGN CRITERIA

FOLLOW LATEST BUILDING CODE: IBC 2015

DESIGN LOADS (MIN.):

1700 W CARY ST.

LOCATION: RICHMOND, VA

FLOOR: 40 PSF LIVE LOAD CEILING: 20 PSF LIVE LOAD 10 PSF DEAD LOAD

F: 20 PSF LIVE LOAD ROOF DESIGN WIND SPEED: 115 MPH 10 PSF DEAD LOAD (TRUSSES: TC AND BC DEAD LOAD OF 10 PSF EACH)

SLEEPING AREAS: 30 PSF LIVE LOAD

SOIL BEARING ASSUMED CAPACITY: ASSUMED 1500 PSF

LIVE LOADS, DEAD LOADS, WIND LOADS, SNOW LOADS, LATERAL LOADS, SEISMIC ZONING, AND ANY OTHER SPECIALTY LOADING WILL NEED TO BE CONFIRMED BEFORE CONSTRUCTION AND DEALT WITH ACCORDINGLY.

FRAMING MEMBERS:

UNLESS OTHERWISE NOTED, ALL FRAMING LUMBER TO BE #2 OR BETTER.

CONTRACTOR TO CONFIRM THE SIZE, SPACING, AND SPECIES OF ALL FRAMING AND STRUCTURAL MEMBERS.

ALL EXTERIOR WALLS AND CEILING/ROOF ARE TO BE INSULATED BY CODE.

ENGINEERED WOOD PRODUCTS TO BE ENGINEERED BY MANUFACTURER/SUPPLIER.

TRUSSES TO BE ENGINEERING BY TRUSS MANUFACTURER/SUPPLIER.

FOLLOW BRACING GUIDELINES SUBMITTED BY TRUSS MANUFACTURER.

CONCRETE AND FOUNDATIONS:

ALL SLABS ON GRADE SHALL BE 3500 PSI MIN.

ALL SLABS ON GRADE SHALL BEAR ON 4" COMPACTED GRANULAR FILL WITH 6X6 MIN. WELDED WIRE MESH (WWM).

INTERIOR SLABS SHALL HAVE A 6 MIL. MIN. PLOTETHYLENE VAPOR BARRIER UNDERNEATH.

PROVIDE PROPER EXPANSION AND CONTROL JOINTS.

PROVIDE REINFORCING WHERE NEEDED ACCORDING TO LOCAL CODES, REQUIREMENTS, AND DESIGN.

FOUNDATION WALLS ARE NOT TO BE BACKFILLED UNTIL STRUCTURAL FRAMING IS COMPLETE.

VERIFY DEPTH OF FOOTINGS TO MAKE SURE IT IS BELOW FROST LINE.

STEEL:

ALL STRUCTURAL STEEL TO COMPLY WITH ASTM STANDARDS AND SPECIFICATIONS.

SAFETY GLAZING IS REQUIRED PER CODE INCLUDING BUT NOT LIMITED TO THE FOLLOWING: GLAZING IN SWINGING DOORS EXCEPT JALOUSIES, GLAZING IN FIXED AND SLIDING PANEL DOORS, GLAZING IN STORM

DOORS, GLAZING IN ALL UN-FRAMED DOORS, GLAZING IN DOORS AND ENCLOSURES FOR BATHTUBS AND SHOWERS WHOSE BOTTOM EXPOSED EDGE IS LESS THAN 60" ABOVE THE WALKING/STANDING

SURFACE, GLAZING IN PANELS ADJACENT TO AND WITHIN 24" OF THE EDGE OF A SWINGING DOOR, GLAZING LESS THAN 18" ABOVE THE FLOOR, GLAZING IN RAILINGS, GLAZING IN FENCES OR WALLS

ENCLOSING SWIMMING POOLS-HOT TUBS-SPAS, GLAZING IN STAIRWAYS-LANDINGS-RAMPS, GLAZING WITHIN 60" OF THE BOTTOM TREAD OF A STAIRWAY.

PER CODE, A MIN. NET CLEAR OPENING OF 5.7 SQ. FT. (24" HIGH X 20" WIDE) AND A MAX SILL HEIGHT OF 44" ABOVE FINISH FLOOR IS REQUIRED FOR ALL EMERGENCY ESCAPE AND RESCUE WINDOWS. THE WINDOW DIMENSIONS SHOWN ON THIS PLAN MAY VARY DEPENDING ON THE CHOSEN MANUFACTURER. CONTRACTOR MUST VERIFY THE CHOSEN WINDOWS MEET THE EGRESS REQUIREMENTS. PROVIDE WINDOW WELLS AS REQUIRED. COMPLIANCE TO EMERGENCY EGRESS IS REQUIRED.

COMPLIANCE TO SECTION R313 FOR SMOKE & CO2 DETECTORS IS REQUIRED. SMOKE DETECTORS SHALL BE LISTED IN ACCORDANCE WITH CURRENT UL AND HARDWIRED, INTERCONNECTED, AND ARC FAULT PROTECTED WITH A BATTERY BACKUP.

GARAGE WALLS ARE TO BE COVERED PER CODE. TYPICAL GARAGE WALLS AND ATTIC SPACE/CEILING ASSEMBLIES ARE TO BE COVERED WITH A MIN. 1/2"
GYPSUM WALLBOARD. GARAGE RESIDENCE SEPARATION WALLS AND FLOOR/CEILING ASSEMBLIES ARE TO BE COVERED WITH A MIN. 5/8" TYPE
"X" GYPSUM WALLBOARD. DOORS SEPARATING THE GARAGE AND RESIDENCE ARE TO BE MIN. 20-MINUTE FIRE RATED OR SOLID WOOD, NOT LESS THAN 1-3/8" THICK.

BUILDING INFORMATION

UNIT 1/3 1ST FL. S.F.	1010
UNIT 1/3 2ND FL. S.F.	392
UNIT 2/4 2ND FL. S.F.	713
UNIT 2/4 3RD FL. S.F.	1058
UNIT 5 1ST FL. S.F.	1149
UNIT 5 2ND FL. S.F.	443
UNIT 6 2ND FL. S.F.	800
UNIT 6 3RD FL. S.F.	1196

DESIGNER: NICK MEDLIN
POSITION: OWNER / OPERATOR

179 MURIEL DR. HEATHSVILLE VA 22473

DRAWING INDEX

COVER PAGE	C1.0
FIRST FOOR	A1.1
SECOND FLOOR	A1.2
THIRD FLOOR	A1.3
ELEVATIONS	A2.1
ELEVATIONS	A2.2
ELEVATIONS	A3.1
ELEVATIONS	A4.1

	1/00 W CAKY SI.	RIVER MILL DEVELOPM
RI	EVISIO	N NOTE
DATE	START	
I	1	

DATE	START	

SCALE: N/A

DATE:

11-10-2021

SHEET: C1.0

SHALL BE A FLOOR OR LANDING ON EACH SIDE OF EACH EXT. DOOR EXCEPT WHERE A STAIRWAY OF TWO OR FEWER RISERS IS LOCATED. THE WIDTH OF EACH LANDING SHALL NOT BE LESS THAN THE WIDTH OF THE DOOR SERVED. EVERY LANDING SHALL HAVE A MIN. OF 36" IN DIRECTION OF TRAVEL.


COMPLIANCE IS REQUIRED FOR HANDRAILS (TYPE 1) AND GUARDRAILS ALL INT. AND

COMPLIANCE IS REQUIRED FOR EXIT DOOR STAIRS, RAMPS, AND LANDINGS. THERE

COMPLIANCE IS REQUIRED FOR HANDRAILS (TYPE 1) AND GUARDRAILS. ALL INT. AND EXT. RAILINGS ARE TO BE A CONTINUOUS AND MIN. 36" IN HEIGHT, BE ABLE TO WITHSTAND 200 LBS OF FORCE, AND NOT ALLOW A SPHERE GREATER THAN 4' IN DIAMETER TO PASS THROUGH. GUARDRAILS ARE TO BE 36" HIGH WITH MAX SPACING BETWEEN PICKETS OF LESS THAN 4". HANDRAILS ARE TO BE BETWEEN 34"-36" HIGH WITH MAX SPACING BETWEEN PICKETS NOT LESS THAN 4".

DRAFT-STOPPING IS REQUIRED PER CODE. WHEN THERE IS USABLE SPACE BOTH ABOVE AND BELOW THE CONCEALED SPACE OF A FLOOR/CEILING ASSEMBLY, DRAFT-STOPS SHALL BE INSTALLED SO THAT THE CONCEALED SPACE DOES NOT EXCEED 1000 SF. DRAFT-STOPPING SHALL BE INSTALLED SO AS TO DIVIDE THE SPACE EVENLY. DRAFT-STOPPING IS REQUIRED IN SUSPENDED CEILINGS UNDER THE FLOOR SYSTEM AND WHEN THE FLOOR FRAMING IS CONSTRUCTED OF TRUSS TYPE OPEN WEB OR PERFORATED MEMBERS.

FIRE-BLOCKING IS REQUIRED. FIRE BLOCKING SHALL BE PROVIDED TO CUT OFF ALL CONCEALED DRAFT OPENINGS (VERTICAL & HORIZONTAL) AND FORM AN EFFECTIVE FIRE BARRIER BETWEEN STORIES.



FIRST FLOOR PLAN

1700 W CARY ST.

VER MILL DEVEI

RIVER IV

REVISION NOTES	
DATE	START

SCALE: 1/4" = 1'-0"

DATE: 11-10-2021

SHEET: A1.1

IVER MILL DEVELOPMENT

NOTE FOR SOUND TRANSMISSION B/T UNITS:
PARTITION WALLS TO HAVE 3-1/2" (R15) BATT FOR STC RATING OF 45 MIN.
FLOOR/CEILING ASSEMBLIES (U511) TO HAVE 3-1/2" BATT FOR STC RATING OF 45 MIN.
OR OPT. 3/4" GYPCRETE OVERLAYMENT WITH STC RATING OF 45 MIN.

SECOND FLOOR PLAN

700 W CARY ST.


RIVER MILL DEV
RIVERMILLDEVELOPMENT

DATE START


SCALE: 1/4" = 1'-0"

DATE: 11-10-2021

SHEET: A1.2



NOTE FOR SOUND TRANSMISSION B/T UNITS:
PARTITION WALLS TO HAVE 3-1/2" (R15) BATT FOR STC RATING OF 45 MIN.
FLOOR/CEILING ASSEMBLIES (U511) TO HAVE 3-1/2" BATT FOR STC RATING OF 45 MIN.
OR OPT. 3/4" GYPCRETE OVERLAYMENT WITH STC RATING OF 45 MIN.



THIRD FLOOR PLAN


1700 W CARY ST.

DATE START

SCALE: 1/4" = 1'-0"

DATE: 11-10-2021


SHEET: A1.3



NOTE FOR SOUND TRANSMISSION B/T UNITS:
PARTITION WALLS TO HAVE 3-1/2" (R15) BATT FOR STC RATING OF 45 MIN.
FLOOR/CEILING ASSEMBLIES (U511) TO HAVE 3-1/2" BATT FOR STC RATING OF 45 MIN.
OR OPT. 3/4" GYPCRETE OVERLAYMENT WITH STC RATING OF 45 MIN.



FRONT ELEVATION



LEFT ELEVATION

RIVERMILLDEVELOPMENT@GMAIL.COM
PHONE: (434) 774-4535


1700 W CARY S

DATE START


SCALE: 1/4" = 1'-0"

DATE: 11-10-2021


SHEET: A2.1



RIGHT ELEVATION



BRICK EXTERIOR



REAR ELEVATION

CARY ST.

00 W CARY S


RIVER MILL


RI	REVISION NOTES		
DATE	START		


SCALE: 1/4" = 1'-0"

DATE: 11-10-2021


SHEET: A2.2







SECOND FLOOR PLAN



THIRD FLOOR PLAN

FIRST FLOOR PLAN

NOTE FOR SOUND TRANSMISSION B/T UNITS:
PARTITION WALLS TO HAVE 3-1/2" (R15) BATT FOR STC RATING OF 45 MIN.
FLOOR/CEILING ASSEMBLIES (U511) TO HAVE 3-1/2" BATT FOR STC RATING OF 45 MIN.
OR OPT. 3/4" GYPCRETE OVERLAYMENT WITH STC RATING OF 45 MIN.

TS HNIV S 41


RIVER MILL DE


DATE START


SCALE: 1/4" = 1'-0"

DATE: 5-02-2022


SHEET: A3.1








RIGHT ELEVATION



LEFT ELEVATION



REAR ELEVATION

VINE ST.


RIVER MILL DE

REVISION NOTES		
DATE	START	

SCALE: 1/4" = 1'-0"


DATE: 5-02-2022

SHEET: A4.1



NOTES: THIS PROPERTY IS LOCATED IN F.E.M.A. FLOOD ZONE "X". CURRENT OWNER: TELFIAN BROTHERS LLC ID2021-20390


12° PUBLIC ALLEY



 $W. \hspace{0.5cm} CARY \hspace{0.5cm} STREET$

66' +/- PUBLIC R/W

PLOT PLAN SHOWING PROPOSED IMPROVEMENTS ON No. 1700 W. CARY STREET, IN THE CITY OF RICHMOND, VIRGINIA.



MCKNIGHT & ASSOCIATES, P.C.

SCALE: 1" = 20'

201 TWIN RIDGE LANE RICHMOND, VIRGINIA 23235 TELEPHONE (804) 320-2646

JOB NUMBER: 92011600