

COMMISSION OF ARCHITECTURAL REVIEW APPLICATION / CERTIFICATE OF APPROPRIATENESS

PROPERTY (Location of Work)	
Address 2021 W Grace St	
Historic District West Grace Street	⊡
PROPOSED ACTION	
■ Alteration (including paint colors)	Rehabilitation
☐ Addition ☐	New Construction (Conceptual Review required)
	☐ Conceptual Review ☐ Final Review
OWNER	APPLICANT (if other than owner)
Name Robert Farmer	Name
Company	Company
Mailing Address 2021 W Grace St	Mailing Address
Richmond, VA 23220 Phone (757) 347-0758	
hanningformer@emeil.com	Phone
Email benningfarmer@gmail.com	
Signature 1/1/1/15 / husses 5/23/2017	Signature
Date 5/23/2017	Date
ACKNOWLEDGEMENT OF RESPONSIB	EUTY
Requirements: A complete application includes all applicable information requested on checklists to provide a complete and accurate description of existing and proposed conditions. Preliminary review meeting or site visit with staff may be necessary to process the application. Owner contact information and signature is required. Late or incomplete applications will not be considered.	
Zoning Requirements: Prior to CAR review, it is t approval is required and application materials shou	he responsibility of the applicant to determine if zoning ld be prepared in compliance with zoning.
require staff review and may require a new application	all conditions of the COA. Revisions to approved work ion and CAR approval. Failure to comply with the COA DA is valid for one (1) year and may be extended for an
(Space below for staff use only)	
Application received:	
Date/Time by man ye	Complete ☐ Yes ☐ No
90 2017 AM	COA-018251-2017 Created 7/2016

Robert Farmer 2021 W Grace St Richmond, VA 23220 (757) 347-0758 benningfarmer@gmail.com

Dear Members of the Commission.

I submit this application for your review concerning alteration of the front steps of our home located at 2021 W Grace St of the West Grace Street historic district. We purchased the property in February of 2014, and within a year of moving in the stairs leading up from the sidewalk to the front porch began deteriorating. The beige paint quickly began peeling off, and whatever previous repairs had been attempted on the concrete precipitously croded and broke off.

I believe the attached photographs give an accurate and adequate depiction of the damage to date.

After consulting with restoration and masonry specialists, I was advised that simply trying to patch and repaint the structure would be a very temporary fix, and that alteration would be more effective.

As a result, I am submitting for your consideration the alteration detailed in the attached estimate submitted from A.W. Masonry. The estimate includes a description of the work to be performed, namely removing the existing concrete stairs and rebuilding them with brick and mortar. As you can see in the included photographs, the underlying original color of the steps and porch appears to have been brick red. Therefore I believe this alteration will not only improve the appearance of the home, but will also be in conformity with the existing character of the structure. Brick stairs will be more attractive, will match the composition of the home itself, and will be a longer lasting solution to the existing damage.

Thank you very much for considering my application, and please let me know of any other information you may need in your review.

Sincerely,

Robert Farmer

N. Benery ham.

A.W. MASONRY & RESTORATION

101 WREN RD RICHMOND, VA 23223 US (804)922-7377 a williams1976@comcast.net

FSTIMATE

ADDRESS

Robert Farmer 2021 W Grace St. Richmond, Va. 23220 757-347-0758 ESTIMATE # 4048

DATE 03/24/2017

JOB LOCATION:

2021 W.Grace St.

ACTIVITY

Services 6,475.00

Remove and replace front steps and sidewalls. Dirt will then be removed in order to install a footing. Footing will be 18 inches below grade, footing will have rebar installed 2 ft. on center. Concrete to be poured will be 3500 psi footing mix, concrete will be 10 inches deep. Retaining walls will be built and then the steps. Homeowner must approve the brick and mortar prior to starting the job. Steps will be built so that riser heights are no more than 7 1/2 inches with a tread 11 to 12 inches. After complete we will wash down using a mild acid. The concrete landing will also be removed during this process. Dirt will be removed in order to install a sub-base using crush and run at 4 inches thick then compacted. Concrete to be poured will be 3500 psi with fiber in the mix. Concrete will be 4 inches thick and have a broom finish when complete. Concrete will be poured to match the existing with the curb along the sides.

Price includes labor and materials.

Payments are as follows half when work starts and the remaining upon completion.

Any alteration or deviation from above specifications involving extra costs will be executed only upon written order, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accident, or delays beyond our control. Payments will be made upon completion of work.

TOTAL

\$6,475.00

Accepted By

Accepted Date



Home Facade, Stairs Pictured On Right



Front Stairs Viewed From Sidewalk

2021 W Grace St



Front Stairs Viewed From Side



Front Stairs Viewed Downward From Porch