

COMMISSION OF ARCHITECTURAL REVIEW

APPLICATION FOR CERTIFICATE OF APPROPRIATENESS

PROPERTY (location of work)			Date/time rec'd: 4:37 9/28/18				
Address 807/809 North 24th Street			Rec'd by: AM				
Historic district Union Hill			Application #: <u>COA-042472-2018</u> Hearing date: <u>10.23.18</u>				
APPLICANT INFO	DRMATION						
Name Marion C	ake	Phone (804) 233-0911					
Company project	t:HOMES	Email marion.cake@projecthomes.oa					
Mailing Address 8	8 Carnation Street	Applicant Type: ■ Owner □ Agent					
Richmond, VA 23225			☐ Lessee ☐ Architect ☐ Contractor				
			Other (please specify):				
OWNER INFORMATION (if different from above)							
Name Elderhomes I	DBA project:HOMES		Company				
Mailing Address 8	88 Carnation Street		Phone				
Richmond, VA 23225			<u>Email</u>				
PROJECT INFORMATION							
Review Type:	■ Conceptual Review	Final Review	1				
Project Type:	☐ Alteration	☐ Demolition	□ New Construction				
(Conceptual Review Required) Project Description: (attach additional sheets if needed)							
Construct two attached single family homes per plans							

ACKNOWLEDGEMENT OF RESPONSIBILITY

Compliance: If granted, you agree to comply with all conditions of the COA. Revisions to approved work require staff review and may require a new application and CAR approval. Failure to comply with the COA may result in project delays or legal action. The COA is valid for one (1) year and may be extended for an additional year, upon written request.

Requirements: A complete application includes all applicable information requested on checklists to provide a complete and accurate description of existing and proposed conditions. Preliminary review meeting or site visit with staff may be necessary to process the application. Owner contact information and signature is required. Late or incomplete applications will not be considered.

Zoning Requirements: Prior to CAR review, it is the responsibility of the applicant to determine if zoning approval is required and application materials should be prepared in compliance with zoning.

Signature of Owner G/4/19

Date 9/27/2018



CERTIFICATE OF APPROPRIATENESS

NEW CONSTRUCTION CHECKLIST

Well in advance of the COA application deadline contact staff to discuss your project, and if necessary, to make an appointment to meet with staff for a project consultation in the office or on site.

Complete all applicable sections and submit with the COA application form. Staff can assist you in determining what items are required for your scope of work. An incomplete application may cause delays in processing or may be deferred to the next agenda. Application materials must clearly represent current and proposed conditions. Refer to Standards for New Construction outlined in Section 30.930.7(c) of the City Code, as well as, the Richmond Old and Historic Districts Handbook and Design Review Guidelines.

PROPERTY ADDRESS: 807/809 North 24th Street

NEW BUILDING TYPE		DRAWINGS (refer to required drawing guidelines)			
	single-family residence		floor plans		
	multi-family residence		elevations (all sides)		
	commercial building		roof plan		
	mixed use building		list of windows and doors, including size, material, design		
	institutional building		context drawing showing adjacent buildings		
	garage		perspective		
	accessory structure		site plan		
	other		legal plat of survey		
WRITTEN DESCRIPTION					
	describe new structure including levels, foundation, siding, windows, doors, roof and details				
	state how the <i>Richmond Old and Historic Districts Handbook and Design Review Guidelines</i> informed the proposed work, site specific pages and sections of the <i>Guidelines</i> that apply				
	material description; attach specification sheets if necessary				
PHOTOGRAPHS place on 8 ½ x 11 page, label photos with description and location (refer to photograph guidelines) site as seen from street, from front and corners, include neighboring properties					

807 North 24th Street Richmond, VA 23223

Exterior Materials and Finishes description:

Siding: smooth unbeaded fiber cement siding "Timber Bark"

Exterior trim: Miratec/PVC 5/4 White Exterior Rails: Fir Richmond Rail White

Windows: Legacy Pro Series vinyl 2 over 2 with simulated divided lites

Doors Therma-tru fiberglass 2 panel half lite with transom
Cornice: Fypon # BKT11X20X6
Dentil: Fypon # MLD310-8

Dentil: Fypon # MLD310-8
Porch Floors: AZEK 3.25" tongue and groove composite, grey

809 North 24th Street Richmond, VA 23223

Exterior Materials and Finishes description:

Siding: smooth unbeaded fiber cement siding "Autumn Tan"

Exterior trim: Miratec/PVC 5/4 White Exterior Rails: Fir Richmond Rail White

Windows: Legacy Pro Series vinyl 2 over 2 with simulated divided lites

Doors Therma-tru fiberglass 2 panel half lite with transom


Cornice: Fypon # BKT11X20X6
Dentil: Fypon # MLD310-8

Porch Floors: AZEK 3.25" tongue and groove composite, grey



WEST

NORTH





EAST

807/809 North 24th Street

RICHMOND, VIRGINIA

LIST OF DRAWINGS

A-001 A-101 A-201 A-103 A-102 A-301 A-202 A-104 SETBACKS - FRONT: SIDE: REAR: FIRE RATED ASSEMBLIES: LOT AREA: SCOPE OF WORK BUILDING AREAS: USE GROUP: CONSTRUCTION TYPE: ZONING DISTRICT: APPLICABLE CODES: **BUILDING DATA** -SECOND FLOOR PLAN / 2ND FLOOR AND ROOF FRAMING PLANS FOUNDATION / FLOOR FRAMING PLAN FIRST FLOOR PLAN WALL SECTIONS / U.L. DESIGNS BRACED WALL PANEL DETAILS / STRUCTURAL NOTES COVER SHEET / BUILDING DATA DOOR & WINDOW SCHEDULES **BUILDING ELEVATIONS** BRACED WALL PANEL DIAGRAMS 2012 VIRGINIA RESIDENTIAL CODE R-6 EXTERIOR SIDE WALLS WITH FIRE SEPARATION DISTANCE $< 5^*-0^*-$ ONE HOUR FIRE RATING REQUIRED VB (WOOD FRAME, UNPROTECTED 1ST FLOOR: 680.29 SQ FT (31.40% OF LOT AREA) 2ND FLOOR: 680.29 SQ FT TOTAL: 1,360.58 SQ FT R-3, TWO FAMILY RESIDENCE CONSTRUCTION OF A NEW TWO-FAMILY, ATTACHED, TWO-STORY RESIDENCE. 2,186.51 SQ FT +/-E-101 AND LIGHTING PLANS

10"X15" SINGLE CAR PARKING SPACE

10"X15" SINGLE CAR PARKING SPACE

/ N

15.00' PUBLIC ALLEY

14.38 PROPOSED 2 STORY ATTACHED FRAME 327 COWERED PORCH

LEGEND

 $\langle \! \rangle$ (9) SECTION DOOR NUMBER WINDOW TYPE

2 PLYWOOD

C. M. U. (PLAN/SECTION) BRICK (IN SECTION) SSSS

BATT INSULATION

OUT TO OUT

COVER SHEET / BUILDING DATA /

SITE PLAN

THE WORK DATE OF THE WAS THE W

THE CREAM OF THE STATE OF THE STATE OF THE STATE OF THE CREAM STATE OF THE CREAM STATE OF THE ST

NOTE: DATA FOR THIS SCHEMATIC SITE PLAN WAS DERWED FROM OWNER'S DEED, ALL PERTINENT DATA SHALL BE VERIFED BY SURVEY. SCHEMATIC SITE PLAN

≨⊕

13. ALL EXPOSED GUTTERS, DOWNSPOUTS AND FLASHING TO BE PRE-FINISHED SSUED MID SIGNED SHOP DRAWNESS ARE REQUIRED FOR PRE-ENGINEERS DOOD ROOF TRUSSESS, GRODES AND BEAUS, & ANY.
 HAAC CONTRACTOR SHALL RUN ALL CONDENSATE DRAWS TO AN APPROVED JOANNON. 10. ALL PRED CLAZING IN WINDOWS AND DOORS SHALL BE TELEPEED CLASS OR SHET CLAZED OR THE REQUIREMENTS OF AND CHAPTER ROOM WHERE COCCURING IN THE HAZARDOUS LOCAIDINS DEMIFIED THEREN.

> $27.\,$ where interior partitions interested an exterior insulated wall, a lander 7—wall framed corner swall be constructed, refer to detail 02 on sheet acces. 28. AT WOOD STUD EXTERIOR CORNERS (WHERE TWO INSULATED WILLS INTERSECT) — REFER TO DETAIL DO ON SHEET AZIOZ. 25. ALL DIADESSING SHOWN ARE ACTUAL, AND ARE TO THE FACE OF STUDS OR TO FACE OF MASONETY OR CONCRETE. CONTINUENTO TO COORDINATE ACTUAL LAY-OUT IN FIELD.

28. ALL HEADERS SHALL BE INSULATED WITH 1/3" FOAM BETWEEN.

THE GREENAL CONTRACTOR IS TO BECOME FAMILIAR WITH ALL DESTING MICHS OF THE BUILDING AND SHOULD NETBY THE LOCATIONS OF UTLINES IN S GAS, WATEN, AND ELECTRIC WHICH MAY BE CONCEALED BEFORE REDUNG WITH THE WORK.

4. INSULATE ALL WALL AROUND BATHROOMS/TOLETS WITH 3 1/2" UNFACED BATT ISULATION.

 ALL WOOD SILLS THAT ARE WITHIN 8" OF EXPOSED EARTH OR ON CONCRETE NAMES SHALL BE PRESSURE PRESERVATIVE TREATED. 3. CONTRACTOR SHALL CALLK, FLASH OR OTHERWISE MAKE THE BUILDING WEATHERMOOTT. CONTRACTOR SHALL VERBY ALL DIMENSIONS AND SITE CONDITIONS BEFORE STATING CONSTRUCTION.

RUN ALL TOLLET FANS AND EXHAUST VENTS TO AN APPROVED EXTERBOR SCHARGE. ALL HOSE BIBBS SHALL BE FREEZE PROOF AND HAVE A BACKFLOW PREVENTER CONTRACTOR SHALL CAULK ALL GAPS BETWEEN DISSIMILAR MATERIALS.

22. COSIENAL CONTRINCTINE IS REQUIRED TO CADACIMATE LABOR CUTTING OF DOOR WITH THE MACE CONTRINCTINE FOR ADSCALATE RETURN ARE FLOW.
23. OHAY CALLAWAZZID MALS AND OTHER CONNECTIONS TO BE USED IN EXTEROR WOOD PENCES, RALS, STANCE, ETC.

CLOTHES DRYER EXWLIST SWILL COMPLY WITH THE 2012 VIRGINA RESIDENTIA

20. ELECTRICAL CONTRACTOR SHALL SUPPLY AND INSTALL ALL EQUIPMENT NECESSAR TO CONTROL EXISTING GRAUND FAULT CURRENT AT THE SITE.

INSULATE ALL PIPMO AT EXTERIOR WALLS.
 PROVIDE RECESSED BOX WITH VALVE TO AREA BEHAD REPROCEDUTOR FOR ICELANCER.

21. ALL WASHING WACHINES AND WATER HEATERS TO BE SET IN A PLASTIC OVERFLOW PAY WITH A DRAWL TO AN EXTERIOR OR APPROVED DISCHARGE.

CONTRACTOR SHALL COORDINATE PLACEMENT OF ROOF FRAMEN AND INSTALLS AND SKYLLIGHTS. 8" MIN, REQUIRED BETWEEN FINISH CRADE AND BOTTOM OF SIDING. GENERAL NOTES

ALL MECHANICAL, ELECTRICAL AND PLUMBING WORK SHALL BE DESIGN/BUILD AND COMPLY WITH MATCHAY. BLECTRICAL CODE CLAREACT BEDTION. FEBRAT DIMMINES POR THOSE AREAS OF WORK SHALL BE SUBMITED BY THE DESIGNATED TRADE. CENTER DEMISING WALL = 2 HOUR FIRE RATING REQUIRED

COMPRACTOR SWALL CONFORM TO THE 2012 WRIGHMA RESIDENTIAL CODE FOR E AND TWO FAMILY DWELLINGS (WRC) AS ADOPTED BY THE COMMONWEALTH OF KOMAN.

N. I. C. % UNLESS NOTED OTHERWISE NOT IN CONTRACT CONCRETE (IN SECTION) LUMBER (IN SECTION)

> ood # date

2017-CAKE1



RICHMOND, VIRGINIA PREPARED FOR: MR. MARION CAKE

10132 BERRYMEADE PLACE GLEN ALLEN, VIRGINIA 23060 (804) 252-0948 DAVID R. WINN, LLC residential design

