





EXISTING CONDITIONS & DEMOLITION PLAN SCALE 1" = 30' EXISTING CONDITIONS (1"=20') ALSO SHOWN ON C5

City Of Richmond DETAIL FOR LOCAL & COLLECTOR Department Of Public Works Crossings Full depth 21 Aggregate (8" Lifts Compacted To 95%) Be Disturbed At One Time. The First Opening Shall Be Complete Partnered To Statisfortees: Young all asphalt roadway a total of 15' with the utility cut located in the center of the miled surface. Or As Indicated On The Approved Plans Rev #1 5/3/2016

DEMOLITION NOTES

- 1. EXISTING UTILITY LATERALS TO BE REUSED IF CONDITION AND INTEGRITY ARE
- 2. ALL TRASH, DEMOLITION DEBRIS, UNDERBRUSH, AND MISCELLANEOUS DEBRIS LOCATED ON SITE ARE TO BE CLEARED AND REMOVED OFF-SITE BY THE CONTRACTOR TO AN APPROVED DUMP SITE.
- ANY EXCAVATED MATERIAL PLACED OUTSIDE OF DESIGNATED AREAS SHALL MEET APPROVAL OF THE CITY OF RICHMOND DPU-WATER RESOURCES DEPARTMENT.
- ANY EXISTING PERIMETER SURVEY MONUMENTATION DISTURBED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.
- COORDINATE WITH CITY OF RICHMOND, DOMINION POWER VERIZON, AND CONCAST FOR OH UTILITY SERVICE RELOCATION.
 ALLOW THE PROPER EAS MEASURES TO BE UTIL IN FLACE BEFORE COMMENCING WORK. UTILIZE TRAFFIC AND PEDESTRIAN SAFETY ARRANGEMENTS AS NEEDED.

DEMOLITION LEGEND

X REMOVE

- LAYOUT NOTES 1. NOTIFY THE GENERAL CONTRACTOR IF THERE EXISTS A CONFLICT EXISTS BETWEEN THE
- ROTH THE SELECTED CONTROLL OF THERE EASIST CONTROLL EASISTS BE WEER THE CYLL AND ARCHITECTURAL PLANS.
 ALL DISTURBED CITY SDEWALK AND CURB SHALL BE REPAIRED AND REPLACED ACCORDINATE WITH CITY STANDARDS. FOR SIDEWALK THE IN. CONTRACTOR SHALL SAW-CUT AND REMOVE A REASONABLE PORTION OF DAMAGEDIDEMOLISHED CONCRETE AND REPLACED ACCORDINGLY.
 - REPLACED ACCORDINGLY.

 PAYMEMENT REPLACEMENT FOR UTILITY LATERAL CONNECTIONS SHALL BE IN ACCORDANCE WITH CITY STANDARD PAV-2/A.

 CONGRETE WALKWAYS SHALL NOT EXCEED 2% IN ANY DIRECTION UNLESS INDICATED. SIDEWALK ON SITE SHALL NOT EXCEED 2% CROSS SLOPE.
- COORDINATE JEFFERSON ROW SIDEWALK WITH CITY OF RICHMOND SIDEWALK MASTER PLAN.
- COORDINATE RAISED PATIO DESIGN AND PAVER SPECIFICATIONS WITH ARCHITECT AND OWNER.

WALK SHALL BE ADA COMPLIANT

LAYOUT LEGEND



ONTROL JOINT SPACES AT WIDTH OF

WALK OR AS SHOWN ON DRAWINGS EXPANSION JOINT EACH 30' MAX WITH PREMOLDED EXPANSION FILLER, SEAL WITH SILICONE SEALANT

CONC WALK

HATOMAN CONTRACTOR OF STATE OF

CONCRETE SIDEWALK SECTION AND JOINT DETAIL

PAVER ROOF

SHADING MAY VARY RETWEEN LEGEND AND PLAN

4" VDOT CLASS A-3 PORTLAND CEMEN CONCRETE



KINE VUE. LLC

EVOLVE DEVELOPMENT. LLC

ARCHITECT

ADO / ARCHITECTURE DESIG OFFICE 105 EAST BROAD STREET RICHMOND, VA 23219 804.343.1212

DATE REVISION

SITE LAYOUT PLAN

NOTE: THE SURVEY WAS PERFORMED WITHOUT THE BENEFIT OF A TITLE REPORT AND IS SUBJECT TO INFORMATION WHICH MAY BE DISCLOSED BY SUCH, NOT ALL EASEMENTS MAY BE SHOWN.

OVERHEAD BALCONY (TYP) BRICK WALK. MATCH EXIS. PATTE BRICKS AND LEVEL GRADE 41' GRANITE CURB, REPAIR ADJACE GUTTER AS NEEDED

DI-34 TOP=137.98 (E)NV.=134.74

EXISTING CONDITIONS, DEMOLITION

CITY OF RICHMOND, SON Ŕ Ш 2416 JEFFERSON AVENUE 正 ш ш $\overline{}$ 9 24

¥

∞

01.31.20

B 2411 M ST. LLC #2416 SEFFERSON AVENUE PARCEL ID: E000-0334/003 NSTR. No.: 1600-05448 Z00ED UB-PE4 3,214 SF (0.073 AC) A 2411 M ST LLC #2411 M STREET PARCEL ID: E000-0334/001 INSTR. No.: 1500-14549 10 20 30 SCALE 1" = 20" 12,231 SF (0.281 AC) (NO BUILDINGS) ZONED UB-PE4 LIMT OF DISTURBANCE 3' X 6' TREE WELLS, 2 SYCAMORE TREES, * 13.5' & 58' FROM CURB RETUR Arthartaget . 3' X 6' TREE WELLS, 3 PISTACHE OR YOSHINO CHERRY TREES, ≈ 13.7', 66' & 97' FROM CURB RETURN 23 STREET PARKING STALLS ADJACENT TO PROPERTY, SHOWN FOR ILLUSTRATIVE PURPOSES ONLY AND NOT TO BE PAINTED 8" x 22" CAPTIVE SPACES AND 8" x 17.5" END SPACES INV. INACCESSIBLE INV±131.53 GIS A CMU WALL NEAR PL, VENEER TBD. VARIABLE HEIGHT RAISED PLANTER CONCRETE/PAV WALK, COORDINA PATTERN WITH 6" W. CI (35.5' OFF PL) ARCHITECT 40" x 48" (EG)BR 31' GRANITE CURB TO MATCH EXISTING ≥ MEDIUM PISTACHE OR YOSHINO CHERRY TREE, * 81' FROM CURB RETURN

JEFFERSON AVENUE (80'± R/W)





